





WABER
MODEL 220M



WABER
MODEL 24M
OUTLET BOX



WABER
MODEL 230M
OUTLET BOX



WABER
MODEL
607M
OUTLET
BOX

NEW
METERED
MODELS

609
★ → Note
powered
cords
back

CATALOG
565



Here's Your New Catalog of

WABER POWERLINE

MASTER POWER CONTROL

OUTLET BOXES

WABER MODEL 220M LINE VOLTAGE CHECKER

Crystal clear wide angle, edgewise reading illuminated AC Voltmeter in a handsome chrome plated steel case. Reads from 0 to 150 volts. Six foot cord-set.

Model 220M..... 5.95 Net

WABER MODEL 230M OUTLET BOX FEATURES ILLUMINATED AC VOLTMETER

Continuous monitoring of AC line voltage is feature of this new model with the illuminated edgewise reading of from 0 to 150 AC volts. Unit includes on-off switch, "U" ground outlet, and your choice of six or fifteen foot neoprene cord-set, fuse or push-to-reset circuit breaker. Case is handsomely chrome plated.

Model 230M (fuse, 6' cord-set) 7.50 Net

Model 230M-15 (fuse, 15' cord-set) 8.50 Net

Model 230MCB (crct. brkr., 6' cord-set) 8.50 Net

Model 230MCB-15 (crct. brkr., 15' cord-set) 9.50 Net

WABER MODEL 607M OUTLET BOX WITH ILLUMINATED AC VOLTMETER

This highly useful outlet box features an on-off switch with three "U" ground outlets, with an illuminated edgewise reading AC Voltmeter for continuous line voltage checks. Your choice of a six or fifteen foot all-neoprene line cord, and fuse or push-to-reset circuit breaker protection.

Model 607M (fuse, 6' cord-set) 8.95 Net

Model 607M-15 (fuse, 15' cord-set) 9.95 Net

Model 607MCB (crct. brkr., 6' cord-set) 9.95 Net

Model 607MCB-15 (crct. brkr., 15' cord-set) 10.95 Net

MODEL 24M OUTLET BOX FEATURES ILLUMINATED AC VOLTMETER

Our popular model 24 series, now available with an illuminated voltmeter, provides continuous check of AC line voltage. The illuminated wide angle, edgewise reading meter reads from 0 to 150 AC volts. Included also are an on-off switch, six "U" ground outlets, and your choice of 6 or 15 foot neoprene cord, fuse or push-to-reset circuit breaker protection.

Model 24M (fuse, 6' cord-set) 11.95 Net

Model 24M-15 (fuse, 15' cord-set) 12.95 Net

Model 24MCB (crct. brkr., 6' cord-set) 12.95 Net

Model 24MCB-15 (crct. brkr., 15' cord-set) 13.95 Net

w a b e r
ELECTRONICS INC.

2000 N. 2nd ST.
PHILA., PA. 19122

NEW

WABER GIANT 4 FT. HEAVY DUTY OUTLET

LONG JOHN SERIES

You can choose the precise WABER Four footer to do the job you want. All of these handsome models are pre-wired, ready for instant use, and you have your choice of "U" ground, locking, or crow's foot types, all in a sturdy, seamless steel case.

WABER MODEL 700 SERIES, 8 U GRD. OUTLETS ON-OFF SWITCH, BRIGHT PILOT LIGHT

Model 700 (fuse, 6' cord-set)	14.95 Net
Model 700-15 (fuse, 15' cord-set)	15.95 Net
Model 700CB (crct. brkr., 6' cord-set)	15.95 Net
Model 700CB-15 (crct. brkr., 15' cord-set)	16.95 Net

WABER MODEL 705 SERIES, 15 U GRD. OUTLETS ON-OFF SWITCH, BRIGHT PILOT LIGHT

Model 705 (fuse, 6' cord-set)	18.95 Net
Model 705-15 (fuse, 15' cord-set)	19.95 Net
Model 705CB (crct. brkr., 6' cord-set)	19.95 Net
Model 705CB-15 (crct. brkr., 15' cord-set)	20.95 Net

WABER MODEL 707 SERIES, 14 U GRD. OUTLETS ON-OFF SWITCH, BRIGHT PILOT LIGHT

Model 707 (fuse, 6' cord-set)	15.75 Net
Model 707-15 (fuse, 15' cord-set)	16.75 Net
Model 707CB (crct. brkr., 6' cord-set)	16.75 Net
Model 707CB-15 (crct. brkr., 15' cord-set)	17.75 Net

WABER MODEL 710 SERIES 8 U GROUND OUTLETS ONLY

Model 710 (6' cord-set)	12.95 Net
Model 710-15 (15' cord-set)	13.95 Net

WABER MODEL 711 SERIES 14 U GROUND OUTLETS ONLY

Model 711 (6' cord-set)	13.95 Net
Model 711-15 (15' cord-set)	14.95 Net

WABER MODEL 715 SERIES 15 U GROUND OUTLETS ONLY

Model 715 (6' cord-set)	16.95 Net
Model 715-15 (15' cord-set)	17.95 Net

WABER MODEL 720 SERIES, 14 LOCKING TYPE OUTLETS, ON-OFF SWITCH, BRIGHT PILOT LIGHT

Model 720 (fuse, 6' cord-set)	32.95 Net
Model 720-15 (fuse, 15' cord-set)	33.95 Net
Model 720CB (crct. brkr., 6' cord-set)	33.95 Net
Model 720CB-15 (crct. brkr., 15' cord-set)	34.95 Net

WABER MODEL 725 SERIES 14 LOCKING TYPE OUTLETS ONLY

Model 725 (6' cord-set)	31.95 Net
Model 725-15 (15' cord-set)	32.95 Net

WABER MODEL 730 SERIES 14 CROW'S FOOT OUTLETS, ON-OFF SWITCH BRIGHT PILOT LIGHT

Model 730 (fuse, 6' cord-set)	32.95 Net
Model 730-15 (fuse, 15' cord-set)	33.95 Net
Model 730CB (crct. brkr., 6' cord-set)	33.95 Net
Model 730CB-15 (crct. brkr., 15' cord-set)	34.95 Net

WABER MODEL 735 SERIES 14 CROW'S FOOT OUTLETS ONLY

Model 735 (6' cord-set)	31.95 Net
Model 735-15 (15' cord-set)	32.95 Net

FEATURES

TOUGH NEOPRENE CORD SET • BRIGHT NEON PILOT LIGHT • ON-OFF SWITCH • UL APPROVED COMPONENTS • STEEL CASE FINISHED IN SILVER GRAY TEXTURED HAMMERTONE • RATED AT 15 AMPERES, 130 VOLTS CONTINUOUS DUTY • MOUNTING CENTERS 48 3/4" • SIZE: 49 x 2 x 1 1/2" • FUSE OR PUSH TO RESET CIRCUIT BREAKER AVAILABLE IN MOST MODELS.



700

705


707

710

711

Models 730 and 735 not illustrated. Same as Models 720 and 725 except

OUTLET BOXES



15

720

725

with Crow's Foot outlets.

NEW WABER "STRING BEAN" SERIES SPACE-SAVER SIZE IN A STURDY STEEL CASE COMPLETELY WIRED FOR INSTANT USE

**THESE FOUR FOOT BEAUTIES!
ONLY ONE AND ONE EIGHTH
INCH DEEP, ONLY ONE AND
ONE HALF INCH WIDE!**

These new Waber "String-Bean" models occupy a minimum of space, yet are sturdily made to meet the heavy duty needs of the laboratory or industrial plant. Waber "String-Bean" units are of heavy duty steel construction to provide many years of useful service in rack cabinets, on work benches, and in production and testing. They are fully wired, ready to plug-in for instant use. Choose the unit you need from the many shown here. If a special modification would suit your needs better, let us design a unit for your specific application.

MODEL 1000 SERIES 12 "U" GROUND OUTLETS

BRIGHT PILOT LIGHT, ON-OFF SWITCH

Model 1000 (fuse, 6' cord-set)	15.95 Net
Model 1000-15 (fuse, 15' cord-set)	16.95 Net
Model 1000CB (crct. brkr., 6' cord-set)	16.95 Net
Model 1000CB-15 (crct. brkr., 15' cord-set)	17.95 Net

MODEL 1001 SERIES 12 "U" GROUND OUTLETS FUSE OR CIRCUIT BREAKER

Model 1001 (fuse, 6' cord-set)	14.95 Net
Model 1001-15 (fuse, 15' cord-set)	15.95 Net
Model 1001CB (crct. brkr., 6' cord-set)	15.95 Net
Model 1001CB-15 (crct. brkr., 15' cord-set)	16.95 Net

MODEL 1002 SERIES 12 "U" GROUND OUTLETS ONLY

Model 1002 (6' cord-set)	13.95 Net
Model 1002-15 (15' cord-set)	14.95 Net

MODEL 1010 SERIES, MASTER ON-OFF SWITCH, PILOT LIGHT, AND 8 SETS OF "U" GROUND OUTLETS, PILOT LIGHTS, AND ON-OFF SWITCHES

Model 1010 (fuse, 6' cord-set)	19.95 Net
Model 1010-15 (fuse, 15' cord-set)	20.95 Net
Model 1010CB (crct. brkr., 6' cord-set)	20.95 Net
Model 1010CB-15 (crct. brkr., 15' cord-set)	21.95 Net

FEATURES

TOUGH NEOPRENE CORD SET • BRIGHT NEON PILOT LIGHT • ON-OFF SWITCH • UL APPROVED COMPONENTS • STEEL CASE FINISHED IN SILVER GRAY TEXTURED HAMMERTONE • RATED AT 15 AMPERES, 130 VOLTS CONTINUOUS DUTY • MOUNTING CENTERS 48 3/4" • SIZE: 49 x 1 1/2 x 1 1/8" • FUSE OR CIRCUIT BREAKER AVAILABLE IN MOST MODELS.



1000

1001

1002

1010


COMPACTS

Compact in size, these sturdy Waber units provide quality outlets with the same provisions for control as its big brothers. They are particularly useful for OEM applications.

MODEL 602
SERIES
OUTLET
BOX



MODEL 603
SERIES
OUTLET
BOX



MODEL 605
SERIES
MASTER
POWER
CONTROL



MODEL 606
SERIES
MASTER
POWER
CONTROL



MODEL 602 SERIES, 5 "U" GROUND OUTLETS ONLY

Model 602 (6' cord-set)	4.80 Net
Model 602-15 (15' cord-set)	5.80 Net

MODEL 603 SERIES, 4 "U" GROUND OUTLETS FUSE OR PUSH TO RESET CIRCUIT BREAKER

Model 603 (fuse, 6' cord-set)	5.25 Net
Model 603-15 (fuse, 15' cord-set)	6.25 Net
Model 603CB (crct. brkr., 6' cord-set)	6.25 Net
Model 603CB-15 (crct. brkr., 15' cord-set)	7.25 Net

MODEL 605 SERIES, 3 "U" GROUND OUTLETS, PILOT LIGHT, ON-OFF SWITCH, FUSE OR PUSH TO RESET CIRCUIT BREAKER

Model 605 (fuse, 6' cord-set)	5.95 Net
Model 605-15 (fuse, 15' cord-set)	6.95 Net
Model 605CB (crct. brkr., 6' cord-set)	6.95 Net
Model 605CB-15 (crct. brkr., 15' cord-set)	7.95 Net


MODEL 606 SERIES, 2 SETS (SWITCH, PILOT LIGHT OUTLET), FUSE OR PUSH TO RESET CIRCUIT BREAKER

Model 606 (fuse, 6' cord-set)	5.95 Net
Model 606-15 (fuse, 15' cord-set)	6.95 Net
Model 606CB (crct. brkr., 6' cord-set)	6.95 Net
Model 606CB-15 (crct. brkr., 15' cord-set)	7.95 Net

FEATURES

TOUGH NEOPRENE CORD SET • UL APPROVED COMPONENTS • RATED AT 15 AMPERES, 130 VOLTS CONTINUOUS DUTY • STEEL CASE FINISHED IN SILVER GRAY TEXTURED HAMMERTONE • YOUR CHOICE OF FUSE OR PUSH TO RESET CIRCUIT BREAKER • 8 1/4" MOUNTING CENTERS • SIZE: 8 5/8 x 2 1/4 x 1 1/2"


WABER Pre-wired Master Power Controls provide a quick and easy power source for standard relay racks. You get plenty of outlets, with "on-off" switch, pilot light and your choice of a Waber 6 or 15 foot rugged neoprene cord-set. Models 904, 905, and 906 have four outlets mounted on back of panels. Specials can be made to meet your specific needs.




WABER

RACK MOUNTS POWER CONTROL PANELS

MODEL 900 SERIES
MASTER POWER CONTROL



FOUR OUTLETS
ON THE BACK



MODEL 904, 905, 906 SERIES
MASTER POWER CONTROL

MODEL 900 SERIES, ON-OFF SWITCH, PILOT LIGHT, FUSE OR PUSH TO RESET CIRCUIT BREAKER, AND SIX "U" GROUND OUTLETS

Model 900 (fuse, 6' cord-set)	10.95 Net
Model 900-15 (fuse, 15' cord-set)	11.95 Net
Model 900CB (crct. brkr., 6' cord-set)	11.95 Net
Model 900CB-15 (crct. brkr., 15' cord-set)	12.95 Net

MODEL 904 SERIES, ON-OFF SWITCH, PILOT LIGHT, FUSE OR PUSH TO RESET CIRCUIT BREAKER, AND SIX "U" GROUND OUTLETS, 2 IN FRONT 4 IN BACK

Model 904 (fuse, 6' cord-set)	12.95 Net
Model 904-15 (fuse, 15' cord-set)	13.95 Net
Model 904CB (crct. brkr., 6' cord-set)	13.95 Net
Model 904CB-15 (15' cord-set, crct. brkr.)	14.95 Net


MODEL 905 SERIES, ON-OFF SWITCH, PILOT LIGHT, FUSE OR PUSH TO RESET CIRCUIT BREAKER, AND SIX LOCKING TYPE OUTLETS, 2 IN FRONT AND 4 IN BACK OF PANEL

Model 905 (fuse, 6' cord-set)	23.95 Net
Model 905-15 (fuse, 15' cord-set)	24.95 Net
Model 905CB (crct. brkr., 6' cord-set)	24.95 Net
Model 905CB-15 (crct. brkr., 15' cord-set)	25.95 Net

MODEL 906 SERIES, ON-OFF SWITCH, PILOT LIGHT, FUSE OR PUSH TO RESET CIRCUIT BREAKER, AND SIX CROW'S FOOT OUTLETS, 2 IN FRONT 4 IN BACK

Model 906 (fuse, 6' cord-set)	24.95 Net
Model 906-15 (fuse, 15' cord-set)	25.95 Net
Model 906CB (crct. brkr., 6' cord-set)	25.95 Net
Model 906CB-15 (crct. brkr., 15' cord-set)	26.95 Net

STANDARD 3 1/2" x 19" UNITS MADE TO BE MOUNTED ON A RACK PANEL FOR REMOTE CONTROL OF OTHER WABER POWER OUTLET BOXES MOUNTED INSIDE THE RACK CABINET, OR FOR SUPPLYING POWER TO COMPONENTS IN THE CABINET.



DUST AND SAFETY COVERS

Available for use with rack mounts where desired. Model DC-5 is used with "900" series and DC-1 with "904" series.

DC-1 (904 Type)	4.00 Net
DC-5 (900 Type)	4.00 Net


NEW! WABER "POWER POINTER" MASTER POWER CONTROL BOXES WITH BRIGHT PILOT LIGHT ON EACH COLORED CODED SWITCH-OUTLET SET

The new WABER "P" Series provides a bright neon pilot light with each switch to show when power is on. These sparkling models offer real convenience and utility in many applications. Completely wired, ready to use. Two wire models have ten foot neoprene cord-sets. "U" ground models have choice of six or fifteen foot Waber neoprene cord-set.

Model 25P (fuse, 6' cord-set)	19.50 Net
Model 25P-15 (fuse, 15' cord-set)	20.50 Net
Model 25PCB (crct. brkr., 6' cord-set)	20.50 Net
Model 25PCB-15 (crct. brkr., 15' cord-set)	21.50 Net
Model 30P (fuse, 10' cord-set)	7.50 Net
Model 30PCB (crct. brkr., 10' cord-set)	8.50 Net
Model 35P (fuse, 10' cord-set)	17.50 Net
Model 35PCB (crct. brkr., 10' cord-set)	18.50 Net
Model 32P (fuse, 6' cord-set)	10.50 Net
Model 32P-15 (fuse, 15' cord-set)	11.50 Net
Model 32PCB (crct. brkr., 6' cord-set)	11.50 Net
Model 32PCB-15 (crct. brkr., 15' cord-set)	12.50 Net

FEATURES

Models 30P and 32P have same specifications as Models 30 and 32 on Page 2. Models 25P and 35P have same specifications as Models 25 and 35 on Page 3. "P" Series units feature an individual pilot light on each color-keyed switch-outlet group.



VARI - FINE

SPEED CONTROLLER

FOR THE HOME, LAB, OR SCHOOL
WABER VARI-FINE PROVIDES STEPLESS
CONTROL FROM ZERO TO MAXIMUM


The Waber "Vari-Fine" Controller is a solid state device for speed and light control that features stepless change from zero to maximum. It provides infinite control of motor speed and light intensity, and can be used to vary the speed of AC/DC motors of the universal type. It handles load currents up to a maximum of 7 amperes at 117 volts, 60 cps. It is a self contained unit that may be plugged into any standard wall outlet, and is fused for circuit protection. It's compact and portable and features mounting ears for use where a fixed installation is desired. The cord-set is of the "U" ground type with neoprene insulation on the inner conductors and an overall neoprene jacket. The Waber "Vari-Fine" controller has many applications in the home, laboratory, school, or factory where the regulation of motor or light is desirable.

Model 200 14.95 Net



WABER MODEL 200
SPEED AND LIGHT
CONTROLLER

Custom units can be supplied to meet your specific requirements.



LOW-3

SINGLE CANTILEVER

Lab on Wheels


THIS WABER DOLLY DOUBLE CANTILEVER HAS THE UTILITY YOU NEED

Transport stocks, instruments, assemblies with ease with this low cost WABER Basic Dolly. You can make your own adaptations to serve many purposes in your projects, where mobility would be desirable.

Size: 32" L x 18½" W x 37½" H. Here is one of the most versatile and rugged units available to serve the needs of the lab, school or industry. **WABER MODEL LOW-5.....\$48.00 Net**



LOW-5




LOW-4

WHEEL IT IN WHEEL IT OUT . . . AT YOUR CONVENIENCE

The WABER "Lab On Wheels" will greatly expand your present work area, rolls effortlessly, and will provide ample space for your instruments, supplies, assemblies, breadboards, prototypes, etc. Provisions are available for mounting a WABER Outlet Box (1000 series) to supply power to the unit.

Shelves are adjustable to make every inch count. Each shelf is covered with tempered hardboard. Size: 48" L x 26" W x 66" H. This unit could prove a real workhorse for the school, lab, or industrial plant.

WABER MODEL LOW-3
(less outlet box)\$149.00 Net



NEW! STURDY WABER "SCOPE" DOLLY EASILY TAKES ALL SIZES

This versatile scope dolly is designed to handle the big scopes and oversized test equipment with ease. The spacious non-skid deck, inclined at 22°, accommodates all instruments. The welded square tubing combines rigidity with functional design to permit the user free access to controls and an uncluttered view. It also allows standard 19" rack panels to be mounted as required. Size: 19¼" wide, 29½" long, 36½" high.

LOW-6\$89.00 Net
Outlet Box not included
ACC-I (Plug-in Shelf).....\$17.50 Net

PAYS FOR ITSELF IN TIME SAVED . . . IN CONVENIENCE

This double cantilevered carrier is built to hold greater load capacities with sway-free rigidity, strength and durability. The tremendous area available will accommodate your projects with ease, and provisions for a WABER 1000 series Outlet Box will "power-up" the carrier. When your projects are held-up you can wheel it out of the way and your lab tables are cleared for action. When you're ready to go again, wheel it back in.

Size of the WABER Double Cantilevered Carrier is 48" L x 26" W x 71" H. Tempered hardboard is provided with each of the five shelves, and the shelves are adjustable.
WABER MODEL LOW-4
(less outlet box)\$188.00

FEATURES

1 INCH SQUARE STEEL TUBING FOR RIGIDITY, STRENGTH AND DURABILITY • ZINC PLATED WITH A CLEAR, IRRIDITE POST PLATE TREATMENT • HEAVY DUTY 5" WHEELS WITH HEAVY PLATE CASTERS. QUIET, FAST, EASY SWIVELING • PROVISIONS FOR MOUNTING WABER OUTLET BOXES.

WABER
ELECTRONICS INC.
 PHILA., PENNA. 19122
 2000 NORTH 2nd STREET



BULK RATE
 U. S. POSTAGE
PAID
 Permit No. 2192
 Philadelphia, Pa.

Mr. T. Nelson
 Interlocking Sys. Co.
 Box 1546
 Poughkeepsie, N. Y. EL. PRO.